

# WL-TRRS Series Ultra-thin Generation




Slim LED Troffer Light

## Product Description:

Specific design, innovative ultra-thin LED troffer Light is a design based on the ideal replacement of fluorescent troffer. The WL-TRS22/24 accepts 100-277VAC and 120-277/347V, and have a high lumen efficiency up to 125Lm/W. With well-distributed soft light, no any dark spot and special ultra-thin design. This Luminaries is regarded as the leading of greening Lighting for commercial and industrial uses.



## Options:



Microwave Sensor



Motion Sensor



Emergency Pack



Watt-CCT Tunable

# WL-TRS Series Ultra-thin Generation

Slim LED Troffer Light

## Features:

Product Name : LED Troffer Light

Efficiency 125 Lm/w & 140 Lm/W

Voltage input: 100-277Vac & 120-277/347V

Watt Options: 2X2ft : 24W&36W;2X4ft : 24W&36W&42W&50W

CRI: >80

CCT Options: 3500K~5000K &3000K-4000K-5000K Tunable

Operating Temp: -25°C~ 50°C

Power Factor: >0.90


Certifications: ETL/DLC

Lm80 life Span: >50,000 Hrs


Warranty: 5 years

Product Size: 2X2ft : 603\*603\*45 mm;2X4ft : 1212\*603\*45 mm

## Dimensions:



2X2ft : 603\*603\*45 mm



2X4ft : 1212\*603\*45 mm

# WL-TRS Series Ultra-thin Generation

Slim LED Troffer Light


## Applications:



Office



Library



Supermarket



Bank

## Product Models:

Model	Watt	Lumens Efficiency	Dimmable	CCT Options	Certification
WL-TRS2224X(XXXXK)	24W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2236X(XXXXK)	36W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2424X(XXXXK)	24W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2436X(XXXXK)	36W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2442X(XXXXK)	42W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2450X(XXXXK)	50W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2450XHV(XXXXK)	50W	125Lm/W	0-10V	3500K~5000K	ETL&DLC
WL-TRS2236X(XXXXK)-H	36W	140Lm/W	0-10V	4000K~5000K	ETL&DLC
WL-TRS2436X(XXXXK)-H	36W	140Lm/W	0-10V	4000K~5000K	ETL&DLC
WL-TRS2224/36W(3000K-4000K-5000K)-T	24/36W Tunable	125Lm/W	-	3000K-4000K-5000K Tunable	ETL
WL-TRS2436/42/50W (3000K-4000K-5000K)-T	36/42/50W Tunable	125Lm/W	-	3000K-4000K-5000K Tunable	ETL

# WL-TRS Series Ultra-thin Generation

Slim LED Troffer Light

## Order Information:

Eg: WL-TRS2236D(4000K)

FAMILY	SIZE	WATTAGE	Dimmable	Voltage	CCT	Option
Wisdom Light LED Troffer Light	22	24 24W	(blank) None	Blank 100-277V	* 3500K	A Aceleds
	2X2FT	36 36W	D 0-10V Dim	HV 120-277/347V	* 4000K	T Tunable
		24/36W			* 4500K	
	24 2X4 FT	24 24W			* 5000K	
		36 36W			* 3000K-4000K- 5000K	
		42 42W				
		50 50W				
	36/42/50W					

## Packing Information:

Item No.	PCS/CTN	N.W. (kg)	G.W. (kg)	Carton Dimensions
2X2ft Troffer	2PCS	5	7	66.5x66.5x11.5cm
2X4ft Troffer	2PCS	12.5	14.5	127x66.5x11.5cm

Item No.	Qty per Pallet	20'GP (8 pallets)	40'GP (18 pallets)	40'HQ (18 pallets)	20'GP (No pallets)	40'GP (No pallets)	40'HQ (No pallets)
2X2ft Troffer	120PCS	960PCS	2160PCS	2160PCS	1062PCS	2214PCS	2792PCS
2X4ft Troffer	60PCS	480PCS	1080PCS	1080PCS	528PCS	1152PCS	1458PCS